

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : 7006956B1
APPLICATION NO. : 09/316,549
ISSUE DATE : February 28, 2006
INVENTOR(S) : Emmanuel GERLOVIN *et al.*

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the cover page, in the Assignee information, please change "Parametric Technology, Corporation" to --Parametric Technology Corporation-- and change "Cassadaga, New York (US)" to --Needham, MA (US)--

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being transmitted via the Office electronic filing system in accordance with § 1.6(a)(4).

Dated: September 3, 2008

Electronic Signature for John S. Curran: /John S. Curran/

MAILING ADDRESS OF SENDER (Please do not use customer number below):

John S. Curran
LAHIVE & COCKFIELD, LLP
One Post Office Square
Boston, Massachusetts 02109-2127

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being transmitted via the Office electronic filing system in accordance with § 1.6(a)(4).

Dated: September 3, 2008
Electronic Signature for John S. Curran: /John S. Curran/

Docket No.: PAS-093RCE
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of:
Emmanuel Gerlovin *et al.*

Patent No.: 7006956B1

Issued: February 28, 2006

For: **INTEGRATION OF AN ANALYSIS INTO
THE FEATURES OF A MODEL OF AN
OBJECT**

**REQUEST FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 CFR 1.323**

Attention: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the above-identified patent, Patentee noted an error in the Assignment Information which should be corrected.

The Assignment was submitted for recordation before the issuance of the patent.

On the cover page, in the Assignee information, please change “Parametric Technology, Corporation” to --Parametric Technology Corporation-- and change “Cassadaga, NY (US)” to --Needham, MA (US)--

The error was found in the application as filed by applicant. Please charge our Deposit Account No. 12-0080 in the amount of \$100.00 covering the fee set forth in 37 CFR 1.20(a) and the processing fee of \$130 set forth in 37 CFR 1.17(i).

The correction of the error sought herein does not involve new matter or require reexamination.

Transmitted herewith is a proposed Certificate of Correction effecting such amendment.
Patentee respectfully solicits the granting of the requested Certificate of Correction.

The Director is hereby authorized to charge any deficiency in the fees filed, asserted to be filed or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Deposit Account No. 12-0080, under Order No. PAS-093RCE.

Dated: September 3, 2008

Respectfully submitted,

Electronic signature: /John S. Curran/
John S. Curran
Registration No.: 50,445
LAHIVE & COCKFIELD, LLP
One Post Office Square
Boston, Massachusetts 02109-2127
(617) 227-7400
(617) 742-4214 (Fax)
Attorney/Agent For Applicant